


Optosource

Distributed by **LUMOTRIX**

44mm MINI series LED Reflector



- Specially designed with pins to fit LEDs with holders.
- 12mm aperture.
- 88% optical efficiency.
- Made with metallized polycarbonate, with high UV and temperature rating.
- Fits **Sharp** MiniZeni with Optosource SHHMINI-P holder.
- Fits **Citizen** L020 with Optosource CIHL020-P holder
- Fits **Cree** 1507/1512 with Optosource CRH1507-P holder.

Reflector Types

Order Code	Beam Angle	Cover	Comment
SH04415-C1C-MINI	±8	With Clear Cover	Fits on LED holder
SH04428-C1C-MINI	±14	With Clear Cover	Fits on LED holder
SH04440-C1C-MINI	±20	With Clear Cover	Fits on LED holder
SH04460-C1C-MINI	±30	With Clear Cover	Fits on LED holder
SH04440-C1F-MINI	±30	With Fuzzy Cover	Not stocked

Optosource Guangzhou Qiaoguang Photoelectricity Technology Co., Ltd. Website : www.opto-source.net


European distributor : **LUMOTRIX** Lumotrix Ltd., Oakendene Estate, Cowfold, West Sussex RH13 8AZ England
Tel: +44 1403 865486 www.lumotrix.com

Optosource


Distributed by



Relative Intensity of SH04415-C1C-MINI



Relative Intensity of SH04428-C1C-MINI




Optosource


Distributed by



Relative Intensity of SH04440-C1C-MINI




Relative Intensity of SH04460-C1C-MINI



Optosource

Distributed by **LUMOTRIX**

Relative Intensity of SH04440-C1F-MINI




Optosource Guangzhou Qiaoguang Photoelectricity Technology Co., Ltd. Website : www.opto-source.net

European distributor : **LUMOTRIX** Lumotrix Ltd., Oakendene Estate, Cowfold, West Sussex RH13 8AZ England
Tel: +44 1403 865486 www.lumotrix.com


Optosource

Distributed by **LUMOTRIX** 

Drawings



Optosource Guangzhou Qiaoguang Photoelectricity Technology Co., Ltd. Website : www.opto-source.net

European distributor : **LUMOTRIX**  Lumotrix Ltd., Oakendene Estate, Cowfold, West Sussex RH13 8AZ England
Tel: +44 1403 865486 www.lumotrix.com